

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | "5970145".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:28 |
| L2 | 735 | ((reorder\$5 or permut\$5) near6 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:45 |
| L3 | 38 | I2 and (key with (id or (serial near3 number) or hardware)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:45 |
| L4 | 663 | ((randomiz\$5 or permut\$5) near6 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:54 |
| L5 | 39 | I4 and (key with (id or (serial near3 number) or hardware)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:45 |
| L6 | 27 | I5 not I3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:46 |
| L7 | 1185 | ((randomiz\$5 or permut\$5 or reorder\$5) near6 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:55 |
| L8 | 30 | I7 and (secur\$5 near5 distribution) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 17:12 |
| L9 | 159 | I7 and (distribut\$5 near6 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:01 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L10 | 19 | l7 and (distribut\$5 near6 content) and (session near3 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 17:24 |
| L11 | 4 | l9 and ((client near5 specific) with key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:00 |
| L12 | 2 | l11 not l10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:01 |
| L13 | 1 | 380/277.ccls. and l9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:01 |
| L14 | 1 | 380/277.ccls. and l4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:14 |
| L15 | 2 | 380/277.ccls. and l2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 18:14 |
| S1 | 14 | client and server and (randomiz\$5 near5 key) and ((serial near number) or (client near id)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 12:55 |
| S2 | 9 | S1 and (client near5 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:11 |
| S3 | 0 | client and server and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:14 |
| S4 | 0 | sender and receiver and (randomiz\$5 near5 key) and (reorder\$5 near5 (content or message)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:14 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S5 | 6 | sender and receiver and (randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:18 |
| S6 | 39 | (randomiz\$5 near5 key) and (randomiz\$5 near5 (content or message)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:18 |
| S7 | 33 | S6 not S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:34 |
| S8 | 1009 | seed and (random near number) and (random near5 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:35 |
| S9 | 337 | S8 and (protect\$5 near5 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 10:36 |
| S10 | 264 | S9 and (client or receiver) and (sender or server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:09 |
| S11 | 10598 | video near5 demand | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:10 |
| S12 | 37 | S11 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:24 |
| S13 | 1061 | (set near3 box) and random and (video near3 demand) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:38 |
| S14 | 4 | S13 and (transmit\$4 near5 (key and (encrypted near3 content))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:30 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S15 | 1 | "5745571".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:28 |
| S16 | 1 | "5742756".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:28 |
| S17 | 1 | "5721781".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:29 |
| S18 | 0 | S13 and (transmit\$4 near5 (key and (randomiz\$4 near3 content))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:30 |
| S19 | 0 | S13 and (send\$4 near5 (key and (randomiz\$4 near3 content))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:30 |
| S20 | 0 | S13 and (send\$4 near5 (key and (randomiz\$4 near3 message))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:30 |
| S21 | 0 | S13 and (send\$4 near5 (key and (randomiz\$4 near3 data))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:30 |
| S22 | 579 | 380/44.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:31 |
| S23 | 43 | S22 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 11:31 |
| S24 | 1 | "5742686".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:59 |
| S25 | 1 | "5452358".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:59 |
| S26 | 1 | "5365589".PN. | USPAT; USOCR | OR | ON | 2005/03/22 11:59 |
| S27 | 1 | "5699427".PN. | USPAT; USOCR | OR | ON | 2005/03/22 12:05 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S28 | 115 | S13 and (encrypted near3 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:40 |
| S29 | 0 | S28 and (client near5 seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:40 |
| S30 | 0 | S28 and (client same seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:41 |
| S31 | 29 | S28 and seed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:51 |
| S32 | 4 | S13 and ((client near3 specific) same key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:53 |
| S33 | 23 | S13 and (client near3 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 12:53 |
| S34 | 20 | S33 not S32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 13:02 |
| S35 | 66 | (conditional near5 access) and (random\$6 near5 content) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 13:02 |
| S36 | 24 | S35 and (video near5 demand) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 13:49 |
| S37 | 535 | ((client near id) or (serial near number) or cw) and (video near5 demand) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 13:50 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S38 | 128 | S37 and (generat\$4 near10 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 13:51 |
| S39 | 30 | S38 and ((set near top) near10 (key or id)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:24 |
| S40 | 2 | "6005943".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:16 |
| S41 | 26 | S39 and (conditional near3 access) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:24 |
| S42 | 26 | S41 and (video near2 demand) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:28 |
| S43 | 0 | S42 and (client near5 (private near key)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:28 |
| S44 | 0 | S42 and (subscriber near8 (private near key)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:29 |
| S45 | 136 | (subscriber near8 (private near key)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 14:29 |
| S46 | 6 | S45 and (set near top) and (random near number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 15:06 |
| S47 | 121 | (client near5 (id or key)) and (set near top) and (random near number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 15:07 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S48 | 64 | S47 and (client near5 specific) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:23 |
| S49 | 84633 | memory near address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:23 |
| S50 | 63 | S49 and (address near10 (encryption near key)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:24 |
| S51 | 6 | S50 and (conditional near access) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:28 |
| S52 | 7 | S50 and (set near top) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:28 |
| S53 | 1 | S52 not S51 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:46 |
| S54 | 37603 | random near number | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:46 |
| S55 | 1276 | S54 and (prime near number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/22 16:46 |
| S56 | 8 | S55 and ((set near top) near10 (key or id or (serial near number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/23 11:57 |
| S57 | 1924 | block near5 cipher | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/23 12:07 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S58 | 41 | S57 and ((different near3 block) near5 size) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/23 12:08 |
| S59 | 104 | 380/257.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/06 14:16 |
| S60 | 104 | 380/257.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/06 15:06 |
| S61 | 0 | S60 and (block near5 ciphering) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/06 15:07 |
| S62 | 5 | S60 and (block near5 cipher\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/06 15:07 |
| S63 | 3908 | (generat\$5 near6 key) and (hardware near5 (key or number or id)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:34 |
| S64 | 476 | S63 and wireless and DSL and block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:55 |
| S65 | 0 | S64 and ATVEF | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:05 |
| S66 | 6 | S64 and ((key and content) near5 channel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:06 |
| S67 | 600 | (generat\$5 near6 key) with (hardware near5 (key or number or id)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:55 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S68 | 11 | S67 and wireless and DSL and block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:35 |
| S69 | 11 | S68 not S66 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:35 |
| S70 | 62521 | (generat\$5 near6 key) with (key or number or id) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:55 |
| S71 | 1042 | S70 and wireless and DSL and block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:56 |
| S72 | 480 | S71 and (stor\$5 near5 (id or (serial near3 number) or (random near3 number))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 13:59 |
| S73 | 407 | S72 and (session near4 key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 14:00 |
| S74 | 2 | S73 and ((virtual or logical) near5 channel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 14:00 |
| S75 | 2 | S73 and ((virtual or logical) with channel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 14:54 |
| S76 | 2 | "6577734".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 15:02 |
| S77 | 2 | "6415032".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/05 16:24 |